

OVATO
PRINT CAIRNS

6pp A5 BROCHURE SPECIFICATIONS

6pp A5 BROCHURES

SIZE

Flat size: 210 x 442mm
Finish size: 210 x 148mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS


Gloss/Matt machine varnish

How to set up print ready artwork


- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files


- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail



Outside Spread




Inside Spread



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

12pp A5 BROCHURES

HALF / ROLL FOLD

SIZE

Flat size: 420 x 442mm
Finish size: 210 x 148mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

115gsm Gloss/Satin
130gsm Gloss/Satin
150gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish


How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-forms to be supplied as a separate PDF



Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail

12pp A5 BROCHURE SPECIFICATIONS




HALF / ROLL FOLD



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

16pp A6 BROCHURES

CONCERTINA & HALF FOLD

SIZE

Flat size: 296 x 420mm
Finish size: 148 x 105mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.


SUGGESTED STOCK

115gsm Gloss/Satin
130gsm Gloss/Satin
150gsm Gloss/Satin



OPTIONS

Gloss/Matt machine varnish

16pp A6 BROCHURE SPECIFICATIONS



CONCERTINA & CROSS FOLD



How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF


Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail

- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

4pp A4 BROCHURE SPECIFICATIONS

4pp A4 BROCHURES

SIZE

Flat size: 297 x 420mm
Finish size: 297 x 210mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS


Gloss/Matt machine varnish

How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files


- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

6pp A4 BROCHURE SPECIFICATIONS

6pp A4 BROCHURES

SIZE

Flat size: 297 x 627mm
Finish size: 297 x 210mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS




Gloss/Matt machine varnish

How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files


- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



O V A T O PRINT CAIRNS

4pp DL BROCHURE SPECIFICATIONS

4pp DL BROCHURES

SIZE

Flat size: 210 x 198mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS



Gloss/Matt machine varnish

How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files


- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



O V A T O
PRINT CAIRNS

6pp DL BROCHURES

SIZE

Flat size: 210 x 297mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish





How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail


6pp DL BROCHURE SPECIFICATIONS



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

8pp DL BROCHURE SPECIFICATIONS

8pp DL BROCHURES

CONCERTINA FOLD

SIZE

Flat size: 210 x 396mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.




SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish

CONCERTINA FOLD



How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF


Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail

- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

8pp DL BROCHURE SPECIFICATIONS

8pp DL BROCHURES

ROLL FOLD

SIZE

Flat size: 210 x 394mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish




How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail


ROLL FOLD



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

8pp DL BROCHURE SPECIFICATIONS

8pp DL BROCHURES

HALF & HALF FOLD

SIZE

Flat size: 210 x 394.5mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.




SUGGESTED STOCK

150gsm Gloss/Satin
170gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish

HALF & HALF FOLD



How to set up print ready artwork

- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF


Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail

- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



OVATO
PRINT CAIRNS

10pp DL BROCHURES

CONCERTINA / ROLL FOLD

SIZE

Flat size: 210 x 490mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

115gsm Gloss/Satin
130gsm Gloss/Satin
150gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish

How to set up print ready artwork




- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail

10pp DL BROCHURE SPECIFICATIONS


CONCERTINA / ROLL FOLD



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500



O V A T O
PRINT CAIRNS

12pp DL BROCHURES

HALF & ROLL FOLD

SIZE

Flat size: 297 x 420mm
Finish size: 210 x 99mm

PRODUCT DETAILS

Great way to market products, reach your target audiences and promote your services with wide range of paper choices and finishes.

SUGGESTED STOCK

115gsm Gloss/Satin
130gsm Gloss/Satin
150gsm Gloss/Satin

OPTIONS

Gloss/Matt machine varnish

How to set up print ready artwork



- Convert all text to outlines
- Embed all images and elements
- All black text to be K:100% and set to overprint
- allow at least 3mm bleed
- 5mm margins for all live text & important elements
- For a rich black use C:60% M:40% Y:40% K:100%
- Ensure no spot colours in artwork unless specified
- single page PDF with no trim, crop or registration marks
- Bitmap images no less than 130dpi
- Die-formes to be supplied as a separate PDF

Sending your files

- Files under 20MB email to cairns.art@ovato.com.au
- Files over 20MB send via dropbox, wetransfer, google drive, hightail

12pp DL BROCHURE SPECIFICATIONS

HALF & ROLL FOLD



- Bleed line
- Trim line
- Fold line
- Margin line *Artwork/text must be a minimum of 5mm within the trim

*Artwork must be supplied as CMYK high resolution PDF with crop marks and 3mm bleed on all sides.

4035 0500